ELSEVIER

Hearing Research 120 (1998) 154

HEARING RESEARCH

Author Index Volume 120

Aran, J.M., see Le Calvez, S. (120) 51
Avan, P., see Le Calvez, S. (120) 51
Avan, P., see Le Calvez, S. (120) 37

Chaltraw, W.E., see Johnson, D.F. (120) 62
Crenshaw III, E.B., see Phippard, D. (120) 77

Ding, D., see McFadden, S.L. (120) 121
Ding-Pfennigdorff, D., Smolders, J.W.T., Müller, M. and Klinke, R.
Hair cell loss and regeneration after severe acoustic overstimulation in the adult pigeon (120) 109
Dolan, D.F., see Yamasoba, T. (120) 143

Fay, R.R.,
Perception of two-tone complexes by the goldfish (*Carassius auratus*) (120) 17
Fay, R.R.,
Auditory stream segregation in goldfish (*Carassius auratus*) (120) 69
Fischel-Ghodsian, N., see Johnson, D.F. (120) 62

Gilain, L., see Le Calvez, S. (120) 37
Glendenning, K.K., see Sutherland, D.P. (120) 86
Guilhaume, A., see Le Calvez, S. (120) 51

Heydemann, A., see Phippard, D. (120) 77
Hozawa, K., see Wada, H. (120) 1

Johnson, D.F., Prezant, T.R., Lubavin, B., Chaltraw, W.E. and Fischel-Ghodsian, N.
Isolation of overexpressed yeast genes which prevent aminoglycoside toxicity (120) 62

Kasper, C., see McFadden, S.L. (120) 121
Klinke, R., see Ding-Pfennigdorff, D. (120) 109
Kobayashi, T., see Wada, H. (120) 1
Kyin, T., see Phippard, D. (120) 77

Lasky, R.E., Van Veen, B.D. and Maier, M.M.
Nonlinear functional modeling of scalp recorded auditory evoked responses to maximum length sequences (120) 133
Le Calvez, S., Guilhaume, A., Romand, R., Aran, J.M. and Avan, P.
CD1 hearing-impaired mice. II: Group latencies and optimal f_2/f_1 ratios of distortion product otoacoustic emissions, and scanning electron microscopy (120) 51
Le Calvez, S., Avan, P., Gilain, L. and Romand, R.
CD1 hearing-impaired mice. I: Distortion product otoacoustic emission levels, cochlear function and morphology (120) 37
Lechner, M., see Phippard, D. (120) 77
Lee, D., see Phippard, D. (120) 77
Lu, L., see Phippard, D. (120) 77
Lubavin, B., see Johnson, D.F. (120) 62

Maier, M.M., see Lasky, R.E. (120) 133
Masterton, R.B., see Sutherland, D.P. (120) 86
McFadden, S.L., Kasper, C., Ostrowski, J., Ding, D. and Salvi, R.J.
Effects of inner hair cell loss on inferior colliculus evoked potential thresholds, amplitudes and forward masking functions in chinchillas (120) 121
Müller, M., see Ding-Pfennigdorff, D. (120) 109
Müller, M., and Smolders, J.W.T.
Hair cell regeneration after local application of gentamicin at the round window of the cochlea in the pigeon (120) 25

Nuttall, A.L., see Ren, T. (120) 7

Ostrowski, J., see McFadden, S.L. (120) 121

Phippard, D., Heydemann, A., Lechner, M., Lu, L., Lee, D., Kyin, T. and Crenshaw III, E.B.
Changes in the subcellular localization of the *Brn4* gene product precede mesenchymal remodeling of the otic capsule (120) 77
Prezant, T.R., see Johnson, D.F. (120) 62

Ren, T., and Nuttall, A.L.
Acoustical modulation of electrically evoked otoacoustic emission in intact gerbil cochlea (120) 7
Romand, R., see Le Calvez, S. (120) 51
Romand, R., see Le Calvez, S. (120) 37

Salvi, R.J., see McFadden, S.L. (120) 121
Smolders, J.W.T., see Müller, M. (120) 25
Smolders, J.W.T., see Ding-Pfennigdorff, D. (120) 109
Sugawara, M., see Wada, H. (120) 1
Sutherland, D.P., Glendenning, K.K. and Masterton, R.B.
Role of acoustic striae in hearing: discrimination of sound-source elevation (120) 86

Takasaka, T., see Wada, H. (120) 1

Van Veen, B.D., see Lasky, R.E. (120) 133

Wada, H., Sugawara, M., Kobayashi, T., Hozawa, K. and Takasaka, T.
Measurement of guinea pig basilar membrane using computer-aided three-dimensional reconstruction system (120) 1

Yamasoba, T., and Dolan, D.F.
The medial cochlear efferent system does not appear to contribute to the development of acquired resistance to acoustic trauma (120) 143

ELSEVIER

Hearing Research 120 (1998) 154

HEARING RESEARCH

Author Index Volume 120

Aran, J.M., see Le Calvez, S. (120) 51
Avan, P., see Le Calvez, S. (120) 51
Avan, P., see Le Calvez, S. (120) 37

Chaltraw, W.E., see Johnson, D.F. (120) 62
Crenshaw III, E.B., see Phippard, D. (120) 77

Ding, D., see McFadden, S.L. (120) 121
Ding-Pfennigdorff, D., Smolders, J.W.T., Müller, M. and Klinke, R.
Hair cell loss and regeneration after severe acoustic overstimulation in the adult pigeon (120) 109
Dolan, D.F., see Yamasoba, T. (120) 143

Fay, R.R.,
Perception of two-tone complexes by the goldfish (*Carassius auratus*) (120) 17
Fay, R.R.,
Auditory stream segregation in goldfish (*Carassius auratus*) (120) 69
Fischel-Ghodsian, N., see Johnson, D.F. (120) 62

Gilain, L., see Le Calvez, S. (120) 37
Glendenning, K.K., see Sutherland, D.P. (120) 86
Guilhaume, A., see Le Calvez, S. (120) 51

Heydemann, A., see Phippard, D. (120) 77
Hozawa, K., see Wada, H. (120) 1

Johnson, D.F., Prezant, T.R., Lubavin, B., Chaltraw, W.E. and Fischel-Ghodsian, N.
Isolation of overexpressed yeast genes which prevent aminoglycoside toxicity (120) 62

Kasper, C., see McFadden, S.L. (120) 121
Klinke, R., see Ding-Pfennigdorff, D. (120) 109
Kobayashi, T., see Wada, H. (120) 1
Kyin, T., see Phippard, D. (120) 77

Lasky, R.E., Van Veen, B.D. and Maier, M.M.
Nonlinear functional modeling of scalp recorded auditory evoked responses to maximum length sequences (120) 133
Le Calvez, S., Guilhaume, A., Romand, R., Aran, J.M. and Avan, P.
CD1 hearing-impaired mice. II: Group latencies and optimal f_2/f_1 ratios of distortion product otoacoustic emissions, and scanning electron microscopy (120) 51
Le Calvez, S., Avan, P., Gilain, L. and Romand, R.
CD1 hearing-impaired mice. I: Distortion product otoacoustic emission levels, cochlear function and morphology (120) 37
Lechner, M., see Phippard, D. (120) 77
Lee, D., see Phippard, D. (120) 77
Lu, L., see Phippard, D. (120) 77
Lubavin, B., see Johnson, D.F. (120) 62

Maier, M.M., see Lasky, R.E. (120) 133
Masterton, R.B., see Sutherland, D.P. (120) 86
McFadden, S.L., Kasper, C., Ostrowski, J., Ding, D. and Salvi, R.J.
Effects of inner hair cell loss on inferior colliculus evoked potential thresholds, amplitudes and forward masking functions in chinchillas (120) 121
Müller, M., see Ding-Pfennigdorff, D. (120) 109
Müller, M., and Smolders, J.W.T.
Hair cell regeneration after local application of gentamicin at the round window of the cochlea in the pigeon (120) 25

Nuttall, A.L., see Ren, T. (120) 7

Ostrowski, J., see McFadden, S.L. (120) 121

Phippard, D., Heydemann, A., Lechner, M., Lu, L., Lee, D., Kyin, T. and Crenshaw III, E.B.
Changes in the subcellular localization of the *Brn4* gene product precede mesenchymal remodeling of the otic capsule (120) 77
Prezant, T.R., see Johnson, D.F. (120) 62

Ren, T., and Nuttall, A.L.
Acoustical modulation of electrically evoked otoacoustic emission in intact gerbil cochlea (120) 7
Romand, R., see Le Calvez, S. (120) 51
Romand, R., see Le Calvez, S. (120) 37

Salvi, R.J., see McFadden, S.L. (120) 121
Smolders, J.W.T., see Müller, M. (120) 25
Smolders, J.W.T., see Ding-Pfennigdorff, D. (120) 109
Sugawara, M., see Wada, H. (120) 1
Sutherland, D.P., Glendenning, K.K. and Masterton, R.B.
Role of acoustic striae in hearing: discrimination of sound-source elevation (120) 86

Takasaka, T., see Wada, H. (120) 1

Van Veen, B.D., see Lasky, R.E. (120) 133

Wada, H., Sugawara, M., Kobayashi, T., Hozawa, K. and Takasaka, T.
Measurement of guinea pig basilar membrane using computer-aided three-dimensional reconstruction system (120) 1

Yamasoba, T., and Dolan, D.F.
The medial cochlear efferent system does not appear to contribute to the development of acquired resistance to acoustic trauma (120) 143

ELSEVIER

Hearing Research 120 (1998) 155–157

HEARING RESEARCH

Subject Index Volume 120

Acoustic trauma
Bird; Pigeon; Regeneration; Auditory nerve; Hair cell; Basilar papilla; 5-Bromo-2′-deoxyuridine labeling (Ding-Pfennigdorff, D. (120) 109)

Adaptation
Carboplatin; Central auditory system; Ototoxicity; Temporal resolution; Plasticity (McFadden, S.L. (120) 121)

Aminoglycoside
Bird; Pigeon; Regeneration; Basilar papilla; Hearing; Ototoxicity (Müller, M. (120) 25)

Ototoxicity; *Saccharomyces cerevisiae* (Johnson, D.F. (120) 62)

Auditory brainstem evoked response
Nonlinear system identification; Maximum length sequence (Lasky, R.E. (120) 133)

Auditory nerve
Bird; Pigeon; Acoustic trauma; Regeneration; Hair cell; Basilar papilla; 5-Bromo-2′-deoxyuridine labeling (Ding-Pfennigdorff, D. (120) 109)

Auditory scene analysis
Hearing; Fish; Auditory stream segregation (Fay, R.R. (120) 69)

Auditory stream segregation
Hearing; Fish; Auditory scene analysis (Fay, R.R. (120) 69)

Auditory toughening
Olivocochlear bundle; Noise-induced hearing loss; Conditioning; Strychnine; Guinea pig; Cochlea (Yamasoba, T. (120) 143)

Basilar membrane
Computer-aided three-dimensional reconstruction; Guinea pig; Cochlea; Frequency-position (Wada, H. (120) 1)

Basilar papilla
Bird; Pigeon; Aminoglycoside; Regeneration; Hearing; Ototoxicity (Müller, M. (120) 25)

Bird; Pigeon; Acoustic trauma; Regeneration; Auditory nerve; Hair cell; 5-Bromo-2′-deoxyuridine labeling (Ding-Pfennigdorff, D. (120) 109)

Bird
Pigeon; Aminoglycoside; Regeneration; Basilar papilla; Hearing; Ototoxicity (Müller, M. (120) 25)

Pigeon; Acoustic trauma; Regeneration; Auditory nerve; Hair cell; Basilar papilla; 5-Bromo-2′-deoxyuridine labeling (Ding-Pfennigdorff, D. (120) 109)

Brain-4 (*Brn4/Pou3f4*)
Otic capsule; Temporal bone formation; Immunohistochemistry; In situ hybridization (Phippard, D. (120) 77)

5-Bromo-2′-deoxyuridine labeling
Bird; Pigeon; Acoustic trauma; Regeneration; Auditory nerve; Hair cell; Basilar papilla (Ding-Pfennigdorff, D. (120) 109)

Carboplatin
Adaptation; Central auditory system; Ototoxicity; Temporal resolution; Plasticity (McFadden, S.L. (120) 121)

Central auditory system
Adaptation; Carboplatin; Ototoxicity; Temporal resolution; Plasticity (McFadden, S.L. (120) 121)

Cochlea
Computer-aided three-dimensional reconstruction; Guinea pig; Basilar membrane; Frequency-position (Wada, H. (120) 1)

Electrical stimulation; Otoacoustic emission; Cochlear amplifier; Gerbil (Ren, T. (120) 7)

Distortion product otoacoustic emission; Mutant mouse; Cochlear microphonic; Summating potential; Phalloidin staining (Le Calvez, S. (120) 37)

Distortion product otoacoustic emission; Mutant mouse; Reticular lamina; Scanning electron microscopy (Le Calvez, S. (120) 51)

Olivocochlear bundle; Noise-induced hearing loss; Conditioning; Strychnine; Auditory toughening; Guinea pig (Yamasoba, T. (120) 143)

Electrical stimulation; Cochlea; Otoacoustic emission; Gerbil (Ren, T. (120) 7)

Cochlear microphonic
Distortion product otoacoustic emission; Mutant mouse; Cochlea; Summating potential; Phalloidin staining (Le Calvez, S. (120) 37)

Cochlear nucleus
Dorsal acoustic stria; Intermediate acoustic stria; Ventral acoustic stria (Sutherland, D.P. (120) 86)

Complex sound
Hearing; Roughness; Fluctuation strength (Fay, R.R. (120) 17)

Computer-aided three-dimensional reconstruction
Guinea pig; Basilar membrane; Cochlea; Frequency-position (Wada, H. (120) 1)

Conditioning
Olivocochlear bundle; Noise-induced hearing loss; Strychnine; Auditory toughening; Guinea pig; Cochlea (Yamasoba, T. (120) 143)

Distortion product otoacoustic emission
Mutant mouse; Cochlea; Cochlear microphonic; Summating potential; Phalloidin staining (Le Calvez, S. (120) 37)

Mutant mouse; Cochlea; Reticular lamina; Scanning electron microscopy (Le Calvez, S. (120) 51)

Dorsal acoustic stria
Intermediate acoustic stria; Ventral acoustic stria; Cochlear nucleus (Sutherland, D.P. (120) 86)

Electrical stimulation
Cochlea; Otoacoustic emission; Cochlear amplifier; Gerbil (Ren, T. (120) 7)

Fish
Hearing; Auditory stream segregation; Auditory scene analysis (Fay, R.R. (120) 69)

Fluctuation strength
Hearing; Complex sound; Roughness (Fay, R.R. (120) 17)

Frequency-position
Computer-aided three-dimensional reconstruction; Guinea pig; Basilar membrane; Cochlea (Wada, H. (120) 1)

Gerbil
Electrical stimulation; Cochlea; Otoacoustic emission; Cochlear amplifier (Ren, T. (120) 7)

Guinea pig
Computer-aided three-dimensional reconstruction; Basilar membrane; Cochlea; Frequency-position (Wada, H. (120) 1)

Olivocochlear bundle; Noise-induced hearing loss; Conditioning; Strychnine; Auditory toughening; Cochlea (Yamasoba, T. (120) 143)

Hair cell
Bird; Pigeon; Acoustic trauma; Regeneration; Auditory nerve; Basilar papilla; 5-Bromo-2′-deoxyuridine labeling (Ding-Pfennigdorff, D. (120) 109)

Hearing
Complex sound; Roughness; Fluctuation strength (Fay, R.R. (120) 17)

Bird; Pigeon; Aminoglycoside; Regeneration; Basilar papilla; Ototoxicity (Müller, M. (120) 25)

Fish; Auditory stream segregation; Auditory scene analysis (Fay, R.R. (120) 69)

Immunohistochemistry
Brain-4 (*Brn4/Pou3f4*); Otic capsule; Temporal bone formation; In situ hybridization (Phippard, D. (120) 77)

In situ hybridization
Brain-4 (*Brn4/Pou3f4*); Otic capsule; Temporal bone formation; Immunohistochemistry (Phippard, D. (120) 77)

Intermediate acoustic stria
Dorsal acoustic stria; Ventral acoustic stria; Cochlear nucleus (Sutherland, D.P. (120) 86)

Maximum length sequence
Auditory brainstem evoked response; Nonlinear system identification (Lasky, R.E. (120) 133)

Mutant mouse
Distortion product otoacoustic emission; Cochlea; Cochlear microphonic; Summating potential; Phalloidin staining (Le Calvez, S. (120) 37)

Distortion product otoacoustic emission; Cochlea; Reticular lamina; Scanning electron microscopy (Le Calvez, S. (120) 51)

Noise-induced hearing loss
Olivocochlear bundle; Conditioning; Strychnine; Auditory toughening; Guinea pig; Cochlea (Yamasoba, T. (120) 143)

Nonlinear system identification
Auditory brainstem evoked response; Maximum length sequence (Lasky, R.E. (120) 133)

Olivocochlear bundle
Noise-induced hearing loss; Conditioning; Strychnine; Auditory toughening; Guinea pig; Cochlea (Yamasoba, T. (120) 143)

Otic capsule
Brain-4 (*Brn4/Pou3f4*); Temporal bone formation; Immunohistochemistry; In situ hybridization (Phippard, D. (120) 77)

Otoacoustic emission
Electrical stimulation; Cochlea; Cochlear amplifier; Gerbil (Ren, T. (120) 7)

Ototoxicity
Bird; Pigeon; Aminoglycoside; Regeneration; Basilar papilla; Hearing (Müller, M. (120) 25)

Adaptation; Carboplatin; Central auditory system; Temporal resolution; Plasticity (McFadden, S.L. (120) 121)

Aminoglycoside; *Saccharomyces cerevisiae* (Johnson, D.F. (120) 62)

Phalloidin staining
Distortion product otoacoustic emission; Mutant mouse; Cochlea; Cochlear microphonic; Summating potential (Le Calvez, S. (120) 37)

Pigeon
Bird; Aminoglycoside; Regeneration; Basilar papilla; Hearing; Ototoxicity (Müller, M. (120) 25)

Bird; Acoustic trauma; Regeneration; Auditory nerve; Hair cell; Basilar papilla; 5-Bromo-2′-deoxyuridine labeling (Ding-Pfennigdorff, D. (120) 109)

Plasticity
Adaptation; Carboplatin; Central auditory system; Ototoxicity; Temporal resolution (McFadden, S.L. (120) 121)

Regeneration
Bird; Pigeon; Aminoglycoside; Basilar papilla; Hearing; Ototoxicity (Müller, M. (120) 25)

Bird; Pigeon; Acoustic trauma; Auditory nerve; Hair cell; Basilar papilla; 5-Bromo-2′-deoxyuridine labeling (Ding-Pfennigdorff, D. (120) 109)

Reticular lamina
Distortion product otoacoustic emission; Mutant mouse; Cochlea; Scanning electron microscopy (Le Calvez, S. (120) 51)

Roughness
Hearing; Complex sound; Fluctuation strength (Fay, R.R. (120) 17)

Saccharomyces cerevisiae
Aminoglycoside; Ototoxicity (Johnson, D.F. (120) 62)

Scanning electron microscopy
Distortion product otoacoustic emission; Mutant mouse; Cochlea; Reticular lamina (Le Calvez, S. (120) 51)

Strychnine
Olivocochlear bundle; Noise-induced hearing loss; Conditioning; Auditory toughening; Guinea pig; Cochlea (Yamasoba, T. (120) 143)

Summating potential
Distortion product otoacoustic emission; Mutant mouse; Cochlea; Cochlear microphonic; Phalloidin staining (Le Calvez, S. (120) 37)

Temporal bone formation
Brain-4 (*Brn4/Pou3f4*); Otic capsule; Immunohistochemistry; In situ hybridization (Phippard, D. (120) 77)

Temporal resolution
Adaptation; Carboplatin; Central auditory system; Ototoxicity; Plasticity (McFadden, S.L. (120) 121)

Ventral acoustic stria
Dorsal acoustic stria; Intermediate acoustic stria; Cochlear nucleus (Sutherland, D.P. (120) 86)